





LOADING AND UNLOADING CELL FOR LASER MACHINE

Art. CSLB-M

Maximum piece dimension: 2000 x 4000 mm

Maximum thickness: 5 mm



| UNIT | UNIT DESCRIPTION | Q.TY | PRICE |
|----------------------------|---|------|---------------------|
| 00 | Development of layout, system design | 1 | |
| 10 | Cartesian portal | 1 | |
| 20 | Vertical axis of the portal | 1 | |
| 30 | Fork without belt | 1 | |
| 40 | Gripper system for virgin sheet metal | 1 | |
| 50 | Fixed bench for loading and unloading | 2 | |
| 100 | Electric and pneumatic system | 1 | |
| 110 | Protections guards | 1 | |
| 120 | Installation of SISTEC sub-assemblies | 1 | |
| 130 | Trial and internal test at SISTEC | 1 | |
| SUB-TOTAL, EX-WORKS | | | € 155,000.00 |
| UNIT | OPTIONAL | Q.TY | PREZZO |
| 50 | Motorized workbench for loading/unloading | 2 | € 24,000.00 |
| 30 | Fork with belt | 1 | € 17,000.00 |
| UNIT | EXCLUSIONS | | |
| 00 | Development of software for system management | | |
| 140 | Installation, wiring and start-up | | |